

Highly bioavailable and absorbable form of elemental magnesium

This information is provided for the use of physicians and other licensed health-care practitioners only. This information is intended for physicians and other licensed health-care providers to use as a basis for determining whether to recommend this product to their patients. This medical and scientific information is not for use by consumers. The dietary supplement products offered by Designs for Sport are not intended for use by consumers as a means to diagnose, treat, cure, prevent, or mitigate any disease or other medical condition.

WHAT IS MAGNESIUM BISGLYCINATE?

Magnesium Bisglycinate features a chelated, highly absorbable form of elemental magnesium. The buffered combination of magnesium bisglycinate chelate and magnesium oxide helps to promote the bioavailability of magnesium and helps to support a healthy magnesium status.* Magnesium plays an important role as an enzyme cofactor for energy production. This underlies its importance for supporting and maintaining energy generation, which makes this mineral especially beneficial for both recreational and serious athletes.* Magnesium also supports athletes' muscle function and performance and helps mitigate exercise-induced muscle soreness.*

Owing to a unique patented process that forms a very stable chelate between each magnesium ion and two molecules of the amino acid glycine, this formula may not cause any unfavorable gastrointestinal (GI) complaints that are sometimes associated with magnesium supplementation, such as loose stools or upset stomach.* One of the best-absorbed forms of magnesium is a stable chelate with glycine that bypasses normal modes of absorption in the intestines; this avoids competition that occurs between minerals for absorption.*

FORMULA HIGHLIGHTS

- 300 mg of magnesium (as magnesium bisglycinate chelate) per 2-capsule serving
- Highly absorbable and bioavailable form of magnesium
- Gluten-free, dairy-free, soy-free; non-GMO
- NSF Certified for Sport®

MAY SUPPORT MUSCULOSKELETAL FUNCTION AND PERFORMANCE*

Magnesium is used in over 300 enzymatic reactions in the body and is integral in muscle contraction, relaxation, and protein synthesis.^{1,2} This mineral contributes to muscle function in healthy adults with adequate baseline magnesium levels but may be even more beneficial for those who are low or deficient in magnesium.¹⁻⁴ A recent systematic review of 663 adults indicates that the recommended daily intake (350 mg/day for adult men and 300 mg/day for adult women) is often unmet, as 60% of the athletes studied with a low dietary intake of magnesium-rich foods were deficient in this critical mineral.⁵ This systematic review also found that athletes with a low dietary intake of magnesium who supplemented 300 to 500 mg/day over a 1- to 4-week period experienced improvements in strength and fatigue resistance.⁵

One randomized controlled trial (RCT) tested the efficacy of 350 mg of daily magnesium supplementation on 25 professional male volleyball players for four weeks. The study revealed that those who supplemented with magnesium experienced significantly reduced lactate production during intense activity and improvements in jump performance (3 cm) compared to the placebo group, even in athletes with adequate baseline magnesium levels.⁴ Some amount of lactate production during intense exercise can support the energy production within muscle cells, but the buildup and dissociation of lactic acid, creating an acidic environment in muscle cells, may negatively impact muscle performance.⁶



Another RCT evaluated the effect of 12 weeks of 300 mg daily of magnesium supplementation on the physical performance of 139 healthy women aged 68 to 70. At the end of the study, the women supplementing with magnesium exhibited better Short Physical Performance Battery (SPPB) scores, represented by significantly better chair standing time and 4-minute walking speeds, compared to the placebo group.² This study suggests magnesium's role in helping preserve and support muscle mass and function throughout the lifespan.²

In addition to impacting muscles, magnesium plays a key role in bone health. Its primary role is as a cofactor for the enzymes necessary for synthesizing bone matrix.⁷ A systematic review of over 93,000 adults concluded that an adequate total magnesium intake from either food, supplementation, or a combination, results in higher bone mineral density, specifically of the hip and femoral neck.⁷

MAY HELP MITIGATE EXERCISE-INDUCED MUSCLE SORENESS*

Magnesium's role in muscle function extends to mitigating muscle damage during intense exercise and supporting the healing

process of muscle fibers, helping to attenuate post-exercise muscle soreness.^{3,8,9} Athletes engaged in intense physical exercise may consider supplementing with magnesium two hours before training, which may help temper the onset of muscle soreness.⁹ Additionally, such athletes may consider magnesium intake 10% to 20% higher than is needed for sedentary people.⁹ This was seen in a systemic review of 855 athletes which found that serum magnesium concentrations were significantly lower in athletes compared to untrained populations, despite a higher dietary magnesium intake.¹⁰

A double-blind RCT explored how 350 mg/day of supplemental magnesium for 10 days would influence muscle soreness and performance in 22 college-aged subjects. The results showed that magnesium supplementation significantly reduced muscle soreness (1 to 2 units on a 6-point scale) at 24, 36, and 48 hours post-exercise compared to the placebo group, which saw no significant reduction.³ No significant difference was seen in performance, but perceived recovery did improve significantly in the magnesium group.³

Magnesium may also help influence muscle performance and recovery by supporting a healthy inflammatory response to exercise.⁸ This was seen in a small double-blind crossover RCT

of nine recreationally active men who compared supplementation of 500 mg of magnesium with a placebo on muscle soreness and inflammatory markers. After a 10 km downhill run, they found that when taking magnesium, they experienced mitigations in muscle soreness and mitigations of interleukin-6 (an inflammatory marker) during and post-exercise compared to when taking a placebo.⁸

Magnesium may also support muscle health by promoting healthy blood sugar metabolism and promoting normal lactate clearance in muscles during exercise.¹¹

BENEFITS*

- May support muscle performance such as with walking, jumping, and squatting^{2,4}
- May help mitigate age-related muscle loss¹²
- Helps mitigate muscle soreness post-exercise^{3,8}
- Supports healthy blood sugar metabolism^{8,11}
- Supports bone health⁷

HOW TO TAKE

Take two capsules per day.



300 MG MAGNESIUM PER SERVING

SUPPORTS BONE, HEART, AND METABOLIC HEALTH*



HIGHLY ABSORBABLE AND BIOAVAILABLE FORM OF ELEMENTAL MAGNESIUM*

Supplement Facts

Serving Size 2 capsules
Servings Per Container 60

Amount Per Serving	% Daily Value	
Magnesium	300 mg	71%
(as TRAACS® Magnesium Bisglycinate Chelate Buffered from Magnesium Bisglycinate Chelate and Magnesium Oxide)		

Other Ingredients: Cellulose (capsule), vegetable stearate.

SOY-FREE
 GLUTEN-FREE
 DAIRY-FREE
 0 GRAMS SUGAR
 NON-GMO
 HIGHLY ABSORBABLE*

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

MGC120-DS

References

1. Welch AA, Kelaiditi E, Jennings A, Steves CJ, Spector TD, MacGregor A. Dietary magnesium is positively associated with skeletal muscle power and indices of muscle mass and may attenuate the association between circulating C-reactive protein and muscle mass in women. *J Bone Miner Res*. 2016;31(2):317-325. doi:10.1002/jbmr.2692
2. Veronese N, Berton L, Carraro S, et al. Effect of oral magnesium supplementation on physical performance in healthy elderly women involved in a weekly exercise program: a randomized controlled trial. *Am J Clin Nutr*. 2014;100(3):974-981. doi:10.3945/ajcn.113.080168
3. Reno AM, Green M, Killen LG, O'Neal EK, Pritchett K, Hanson Z. Effects of magnesium supplementation on muscle soreness and performance. *J Strength Cond Res*. 2022;36(8):2198-2203. doi:10.1519/JSC.0000000000003827
4. Setaro L, Santos-Silva PR, Nakano EY, et al. Magnesium status and the physical performance of volleyball players: effects of magnesium supplementation. *J Sports Sci*. 2014;32(5):438-445. doi:10.1080/02640414.2013.828847
5. Heffernan SM, Horner K, De Vito G, Conway GE. The role of mineral and trace element supplementation in exercise and athletic performance: a systematic review. *Nutrients*. 2019;11(3):696. doi:10.3390/nu11030696
6. Todd JJ. Lactate: valuable for physical performance and maintenance of brain function during exercise. *Biosci Horiz*. 2014;7(0):hzu001-hzu001. doi:10.1093/biohorizons/hzu001
7. Groenendijk I, Van Delft M, Versloot P, Van Loon LJC, De Groot LCPGM. Impact of magnesium on bone health in older adults: a systematic review and meta-analysis. *Bone*. 2022;154:116233. doi:10.1016/j.bone.2021.116233
8. Steward CJ, Zhou Y, Keane G, Cook MD, Liu Y, Cullen T. One week of magnesium supplementation lowers IL-6, muscle soreness and increases post-exercise blood glucose in response to downhill running. *Eur J Appl Physiol*. 2019;119(11-12):2617-2627. doi:10.1007/s00421-019-04238-y
9. Tarsitano MG, Quinzi F, Folino K, et al. Effects of magnesium supplementation on muscle soreness in different type of physical activities: a systematic review. *J Transl Med*. 2024;22(1):629. doi:10.1186/s12967-024-05434-x
10. Zhang H, Wang R, Guo S, et al. Lower serum magnesium concentration and higher 24-h urinary magnesium excretion despite higher dietary magnesium intake in athletes: a systematic review and meta-analysis. *Food Sci Hum Wellness*. 2023;12(5):1471-1480. doi:10.1016/j.fshw.2023.02.015
11. Chen HY, Cheng FC, Pan HC, Hsu JC, Wang MF. Magnesium enhances exercise performance via increasing glucose availability in the blood, muscle, and brain during exercise. *PLoS One*. 2014;9(1):e85486. doi:10.1371/journal.pone.0085486